| Ref | , Hits | Search Query | DBs | Default | Plurals | Time Stamp |
|-----------|--------|--|---|----------------|---------|------------------|
| # S1 | 136614 | measur\$7 near3 current | US-PGPUB; USPAT; | Operator OR | OFF | 2006/08/10 08:49 |
| | • | | USOCR; EPO; JPO; DERWENT; IBM_TDB | | | |
| S2 | 928 | S1 with (system near2 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 07:50 |
| S3 | 2 | S2 same (battery adj3 charger) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 07:50 |
| S4 | 7 . | S2 same (charger) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 07:51 |
| S5 | 3 | S4 same controller | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 08:07 |
| S6 · . | . 1121 | allocat\$3 adj power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 08:13 |
| S7 | 9 | S6 near5 (usage availability) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 08:08 |
| S8 | 411845 | imag\$3 near2 (apparatus\$2 device41 system\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 08:14 |

| S9 | 1289476 | (imag\$3 near2 (apparatus\$2 device41 system\$1) x-ray ultrasound printer\$1 scanner\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 08:16 |
|-----|---------|--|---|------|-------|------------------|
| S10 | 934 | S9 same ((allocat\$5 manag\$6 dispens\$4 administer\$3) near2 (power energy)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF . | 2005/10/07 08:19 |
| S11 | 76 | S10 same current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:04 |
| S12 | 24 | S11 same battery | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 08:20 |
| S13 | . 17 | S12 same charger | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF . | 2005/10/07 08:20 |
| S14 | | ("6393233" "6229286" "4249879"). pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:09 |
| S15 | 6 | ("6393233" "6229286" "4349879"). pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/08/03 12:04 |
| S16 | 4 | "2003048007" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:11 |

| | | | | | | 2007/10/57 55 :- |
|-----|--------|---------------------------|---|------|-----|------------------|
| S17 | | "2003/048007" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:12 |
| S18 | 0 | 2003/048007 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:12 |
| S19 | 39 | cordner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:38 |
| S20 | 8138 | "20030313".fd. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:15 |
| S21 | | S19 and S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 09:15 |
| S22 | 2 | "5808376".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 12:24 |
| S23 | 3080 | 713/300,320,324,330.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/07 12:25 |
| S24 | 142715 | measur\$7 near3 current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/03/21 07:55 |

| S25 | 976 | S24 with (system near2 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
|-----|---------|--|---|-----|-----|------------------|
| S26 | 8 | S25 same (charger) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
| S27 | | S26 same controller | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
| S28 | 441788 | imag\$3 near2 (apparatus\$2 device41 system\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
| S29 | 1357644 | (imag\$3 near2 (apparatus\$2 device41 system\$1) x-ray ultrasound printer\$1 scanner\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
| S30 | 1053 | S29 same ((allocat\$5 manag\$6 dispens\$4 administer\$3) near2 (power energy)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
| S31 | 85 | S30 same current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ·OR | OFF | 2006/03/21 07:55 |
| S32 | 30 | S31 same battery | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |

| | | · | | 1 | | T |
|-------|--------|--|---|------|----------|------------------|
| S33 | 23 | S32 same charger | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/03/21 07:55 |
| S34 | 3405 | 713/300,320,324,330.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/21 07:55 |
| S35 | 148314 | measur\$7 near3 current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/08/03 09:37 |
| S36 | 18723 | S35 near3 (component\$1 peripheral\$1 function\$1 device\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 09:37 |
| S37 | 214456 | measur\$7 near3 (current power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 09:37 |
| S38 . | 27476 | S37 near3 (component\$1 peripheral\$1 function\$1 device\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 11:31 |
| S39 | 249 | S38 with (power adj control\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/08/03 11:31 |
| S40 | 150 | S38 near5 (power adj control\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF · | 2006/08/03 10:17 |

| | | | | 1 | | |
|-----|--------|---|---|------|-------|--|
| S41 | 3 | S40 near3 (battery adapter charger (power adj (source supply adapter))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 09:50 |
| S42 | . 3778 | 713/300,320,324,330.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 09:57 |
| S43 | 5 | S40 and S42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 11:33 |
| S44 | 205222 | (current power) adj control\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:45 |
| S45 | 119 | S44 near3 ((power current) adj measur\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF · | 2006/08/03 10:45 |
| S46 | 231 | S44 near5 ((power current) adj measur\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/08/03 10:45 |
| S47 | 48 | S46 same (imag\$4 printer system scanner) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:46 |
| S48 | 219329 | (current power) adj (control\$4 manag\$7) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:45 |

| | | • | · · · · · · · · · · · · · · · · · · · | | · | |
|-----|-------|--|--|----|-----|------------------|
| S49 | 122 | S48 near3 ((power current) adj measur\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:45 |
| S50 | 239 | S48 near5 ((power current) adj measur\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:45 |
| S51 | | S50 same (imag\$4 printer system scanner) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:46 |
| S52 | 0 | S42 and S51 | US-PGPUB; USPAT; 'USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 10:46 |
| S53 | 30824 | S37 near3 (component\$1 peripheral\$1 function\$1 device\$1 charger battery) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 11:31 |
| S54 | 543 | S53 with ((current power) adj control\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 11:32 |
| S55 | 11 | S54 and S42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 11:33 |
| S56 | | "6016282".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 16:22 |

| | | | 1 | | | |
|------|-------|--|---|------|-----|------------------|
| S57 | 16201 | power adj controller | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 16:22 |
| .S58 | . 2 | S57 near3 dynamic\$5 near3 allocat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 16:23 |
| S59 | . 13 | S57 near3 allocat\$4 near3 power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 16:27 |
| S60 | 160 | S57 near3 battery near3 (main adapter source supply) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/08/03 16:32 |
| S61 | 0 | S60 same ((current power) adj measur\$7) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 16:29 |
| S62 | 2 | "6446058".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/08/10 13:40 |
| S63 | 2 | "6229286".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/10 13:41 |